

Architectural
Commercial
Residential
Lighting

SPACE
LIGHT LLP
CHENNAI / HYDERABAD / KERALA

SPOTLESS COLORFUL
LIGHTING
FOR YOUR **HOME**

CATALOGUE
2026 - 2027



TOUCHON SERIES

STRIP LIGHT SERIES 01-10

ROPE LIGHT SERIES 11-12

DRIVER POWER SUPPLY 13-14

SENSOR LIGHT SERIES 15-20

PROFILE LIGHT SERIES 21-33

ACCESSORIES SERIES 34-36

STRIP LIGHT 12V



SERIES PREMIUM

Watt	: 9W	CCT	: 3000k / 4000k
Led	: Per Mtr 120	Luminous	: 21-23lm
Dimension	: 5mm 2oz	IP Rating	: IP 20
CRI	: 70	Powered By	: Sanan
LED Chip	: 2835	Warranty	: 2 Year

SERIES PREMIUM




Watt	: 15W	CCT	: 3000k / 4000k
LED	: Per Mtr 240	Luminos	: 23-25lm
Dimension	: 5mm 2oz	IP Rating	: IP 20
CRI	: 80 CRI	Powered By	: Sanan
LED Chip	: 2835	Warranty	: 2 Year

SERIES GOLD

Watt	: 17W	CCT	: 3000k / 4000k /6500k Amber Ice Blue
Led	: Per Mtr 240	Luminous	: 25-27lm
Dimension	: 10mm 2oz	IP Rating	: 20 IP Rating
CRI	: 70	Powered By	: Sanan
LED Chip	: 2835	Warranty	: 2 Year

SERIES ECO

Watt	: 15W	CCT	: 3000k / 4000k/6500k
LED	: Per Mtr 240	Luminous	: 23-25lm
Dimension	: 10mm 2oz	IP Rating	: 20
CRI	: 70	Powered By	: Sanan
LED Chip	: 2835	Warranty	: 1 Years



STRIP LIGHT 12V

SERIES PREMIUM

WATT	: 18 W	CCT	: 3000K / 4000K / 6500K
LED	: Per Mtr 240		Amber Ice Blue
Dimension	: 10mm 3Oz	Luminous	: 28-30lm
Photo Cri	: 80	IP Rating	: 20 IP Rating
Led Chip	: 2835	Powered By	: Sanan
		Warranty	: 3 YEAR

SERIES PREMIUM

Watt	: 17 W	CCT	: RGB Magic Running
LED	: Per Mtr 60	Luminous	: 28-30lm
Dimension	: 8mm 3Oz	IP Rating	: 20 IP Rating
Photo Cri	: 70	Powered By	: Sanan
Led Chip	: 5050	Warranty	: 2 YEAR

SERIES PREMIUM

Watt	: 18w	CCT	: 3in-1 (WH/WW/NWH)
Led	: Per Mtr 240	Luminous	: 28-30lm
Dimension	: 10mm 3OZ	IP Rating	: 20 IP RATING
CRI	: 80	Powered By	: Sanan
LED Chip	: 2835	Warranty	: 2 YEAR



STRIP LIGHT 24V

SERIES ECO

Watt	: 17W	CCT	: 3000K / 4000K / 6500k
LED	: Per Mtr 240	Luminous	: 21-24lm/w
Led Chip	: 2835	IP	: Rating 20
Dimension	: 10mm 2Oz	Powered By	: SANAN
CRI	: 70	Warranty	: 1 Years

SERIES GOLD


Watt	: 18W	CCT	: 3000K / 4000K
LED	: Per Mtr 240	Luminous	: 23-25lm/w
Led Chip	: 2835	IP Rating	: 20 IP Rating
Dimension	: 10mm 2Oz	Powered By	: Sanan
CRI	: 70	Warranty	: 2 Year

SERIES PREMIUM

Watt	: 21W	CCT	: 3000K / 4000K / 6500k
Led Chip	: 2835	Luminous	: 28-30lm/w
LED	: Per Mtr 240	IP Rating	: 20 IP Rating
Dimension	: 10mm 3Oz	Powered By	: Sanan
CRI	: 80	Warranty	: 3 Year

SERIES RUNNING STRIP

Watt	: 16W	CRI	: 70
LED	: Per Mtr 126	Luminous	: 22-24lm/w
Dimension	: 8mm 2oz	IP RATING	: 20
Led Chip	: 2835	Powered By	: Sanan
CCT	: 3000k	Warranty	: 1 Years



DOT LESS STRIP 24V

SERIES COB STRIP

Watt	: 20W	Luminous	: 24-26lm/w
LED	: Per Mtr 320	IP Rating	: 20 IP Rating
Dimension	: 8mm 3Oz	Powered By	: Sanan
CCT	: 3000K / 4000K	Warranty	: 2 Year
CRI	: 90		

SERIES COB RUNNING STRIP RGB IC

Watt	: 10W	Luminous	: 24-26lm/w
LED	: Per Mtr 480	IP Rating	: 20 IP Rating
Dimension	: 10mm 3Oz	Powered By	: Sanan
CCT	: CCT / RGB	Warranty	: 2 Year
CRI	: 80		

SERIES COB RUNNING STRIP WW IC





Watt	: 18W	Luminous	: 24-26lm/w
LED	: Per Mtr 320	IP Rating	: 20 IP Rating
Dimension	: 10mm 3Oz	Powered By	: Sanan
CCT	: 3000K	Warranty	: 2 Year
CRI	: 90		

SERIES COB FREE CUT STRIP

Watt	: 20W	Luminous	: 24-26lm/w
LED	: Per Mtr 320	IP Rating	: 20 IP Rating
Dimension	: 8mm 3Oz	Powered By	: Sanan
CCT	: 3000K	Warranty	: 2 Year
CRI	: 90		

SERIES S - COB STRIP

Watt	: 18W	Luminous	: 24-26lm/w
LED	: Per Mtr 288	IP Rating	: 20 IP Rating
Dimension	: 8mm 3Oz	Powered By	: Sanan
CCT	: 3000K	Warranty	: 2 Year
CRI	: 90		





WATER PROOF STRIP


SERIES 12V WF STRIP

Watt	: 17W	CCT	: 6500K / 3000K / 4000K
Led Chip	: 2835	Luminous	: 25-27lm/w
LED	: Per Mtr 240	IP Rating	: 66 IP Rating
Dimension	: 10mm 2oz	Powered By	: Sanan
CRI	: 70	Warranty	: 1 Years



SERIES 24V WF STRIP

Watt	: 18W	CCT	: 6500K / 3000K / 4000K
Led Chip	: 2835	Luminous	: 25-27lm/w
LED	: Per Mtr 240	IP Rating	: 66 IP Rating
Dimension	: 10MM 2OZ	Powered By	: Sanan
CRI	: 70	Warranty	: 1 Years




SERIES 24V COB WF STRIP

Watt	: 19W	Luminous	: 27-29lm/w
LED	: Per Mtr 320	IP Rating	: 67 IP Rating
CCT	: 3000K	Powered By	: Sanan
CRI	: 80	Warranty	: 2 Year



SERIES 24V SMD RUNNING RGB IC WF STRIP

Watt	: 19W	Luminous	: 27-29lm/w
LED	: Per Mtr 320	IP Rating	: 68 IP Rating
CCT	: RGB Magic	Powered By	: Sanan
CRI	: 80	Warranty	: 2 Year



Upgrade Your
Home Ambience

SMART SERIES


SERIES SMART 24V STRIP LIGHT

Watt	: 20W	CCT	: 2200 - 10000K
Led	: Per Mtr 240	Luminous	: 24 - 26lm
Dimension	: 8mm 3oz	IP Rating	: IP 20
CRI	: 90	PCB	: Double Sided Electro Plating
LED	: Chip 2835	Warranty	: 2 Year



SERIES SMART 24V POWER SUPPLY

Watt	: 65W / 85W
Material	: ABS
Dimension	: 190* 42 * 29mm
Out Put Current:	2100mA- 3000 mA
IP Rating	: IP 20
Warranty	: 2 Year



SERIES SMART REMOTE CONTROLER


Warranty : 1 Year



220V ROPE LIGHT

SERIES COB ROPE

Watt	: 18w	CCT	: 6500k / 3000k / 4000k
Per Mtr Led	: 288		Ice Blue / Pink / Green
Dimension	: 8mm	Powered By	: Sanan
Luminous	: 28-30lm/w	IP Rating	: 66 IP Rating
CRI	: 90	Warranty	: 1 Year




SERIES 360° ROPE

Watt	: 10w	CRI	: 70
Per Mtr Led	: 120	CCT	: 3000k / RGB
Dimension	: 12mm	Powered By	: Sanan
Luminous	: 21-23lm/w	Warranty	: 1 Year

220V STRIP LIGHT

SERIES COB STRIP (Coated)

AC	: 220V	CRI	: 80
Per Mtr Led	: 320	CCT	: 3000k
Dimension	: 10mm	Powered By	: Sanan
Luminous	: 21-23lm/w	Warranty	: 1 Year



SERIES SMD STRIP 3 IN 1 (Coated)

AC	: 220V	CRI	: 70
Per Mtr Led	: 192	CCT	: WH/WW/NWH
Dimension	: 10mm	Powered By	: Sanan
Luminous	: 21-23lm/w	Warranty	: 1 Year



DRIVER 12V

CURRENT 5A

Watt : 60W
Material : Aluminium
IP Rating : 20 IP Rating
Warranty : 2 Year

CURRENT 10A

Watt : 120W
Material : Aluminium
IP Rating : 20 IP Rating
Warranty : 2 Year

CURRENT 16.5A




Watt : 200W
Material : Aluminium
IP Rating : 20 IP Rating
Warranty : 2 Year

CURRENT 25A

Watt : 300W
Material : Aluminium
IP Rating : 20 IP Rating
Warranty : 2 Year

CURRENT 33.3A

Watt : 400W
Material : Aluminium
IP Rating : 20 IP Rating
Warranty : 2 Year



CURRENT 5A

Watt : 120W
Material : Aluminium
IP Rating : 20 IP Rating
Warranty : 2 Year

CURRENT 10A

Watt : 240W
Material : Aluminium
IP Rating : 20 IP Rating
Warranty : 2 Year

CURRENT 16.5A

Watt : 400W
Material : Aluminium
IP Rating : 20 IP Rating
Warranty : 2 Year

CURRENT 12V

5A/10A/16.5A : 72W / 100W / 200W
Material : Aluminium
IP Rating : 20 IP Rating
Warranty : 2 Year

CURRENT 24V

5A/10A/16.5A : 120W/ 240W/ 400W
Material : Aluminium
IP Rating : 20 IP Rating
Warranty : 2 Year

DRIVER 24V



SLIMMEST AIR



SENSOR

SERIES PIR SF SENSOR

Operating Voltage	: Ac 220-240v
Led Load	: 800w
Time Delay Adjust	: 10sec -7min
Distance Range	: 360°
Deduction Distance	: 8.5mtr
Installation Height	: 12 FT.
IP Rating	: 20 IP Rating
Warranty	: 3 Year
Uses	: Bathroom Corridors Hospital Step Home Shop Etc.,

SERIES MICROWAVE SF SENSOR

Operating Voltage	: Ac 220-240v
Led Load	: 1200w Led For 300w
Time Delay Adjust	: 10sec - 12min
Distance Range	: 360°
Deduction Distance	: 3-12mtr
Installation Height	: 12fit
IP Rating	: 20 IP Rating
Warranty	: 3 Year
Uses	: Bathroom Corridors, Hospital Step Home Shop Apartments Parking Etc.,

SERIES MICROWAVE HIDDEN SENSOR

Operating Voltage	: Ac 220-240v
Led Load	: 1200w Led
Time Delay Adjust	: 10sec -12min
Distance Range	: 360°
Deduction Distance	: 3-12mtr Step
Installation Height	: 12 FT
IP Rating	: 20 IP Rating
Warranty	: 3 Year
Uses	: For 300w Can Be Concealed In Bathroom Corridors, Bathroom Corridors Step Office Etc





SENSOR

SERIES MICROWAVE CC SENSOR

Operating Voltage	: Ac / 220-240v
Led Load	: 1200w Led For 300w
Time Delay Adjust	: 10sec - 12min
Distance Range	: 360°
Deduction Distance	: 7-8mtr
Installation Height	: 12 FT
IP Rating	: 20 IP Rating
Warranty	: 3 Year
Uses	: Hospital Bathroom, Corridors Step Commercial Space Office Etc.,

SERIES PIR WALL MOUNT SENSOR

Operating Voltage	: Ac / 220-240v
Led Load	: 300w - 1200w
Distance Range	: 180°
Detection Distance	: 11-13mtr
Installation Height	: 12ft
IP Rating	: 44 IP Rating
Warranty	: 2 Year
Uses	: Max Any Outdoor Area, Parking Terrace Etc.,

SERIES WARDROBE SENSOR (PREMIUM)

Operating Voltage	: Ac 220-240v
Led Load	: 500w
Deduction Range	: 3-4 Inches
Rated Load	: 12v 60w/ 24v 120w
Warranty	: 3 Year
IP Rating	: 20 IP Rating
Uses	: Wardrobe, Single Door Double Door Cabinet Cupboards Etc.,



SENSOR


SERIES WARDROBE SENSOR (GOLD)

Operating Voltage	: 12v-24v
Led Load	: 12v 60w. 24v 110w
IP Rating	: 20 IP Rating
Body Color	: BK / PKW
Warranty	: 2 Year
Uses	: Wardrobe, Single Door Double Door Cabinet Cupboards Etc.,



SERIES WARDROBE SENSOR (ECO)

Operating Voltage	: 12v -24v
Photo Led Load	: 12v60w. 24v 100w
IP Rating	: 20 IP Rating
Body	: Color BK / PKW
Warranty	: 1 Years
Uses	: Single Door Double Door Wardrobe, Cabinet Cupboards Etc



SERIES SENSOR PANEL / SURFACE

Function	: Auto On -off/ Auto Demeable
Watt	: 15W / 22W
Shape	: Round / Square
CCT	: 6500k / 3000k / 4000k
Detection Distance	: 5-6mtr Corporate Office
Distance Range	: 360°
Installation Height	: 12FTFactory Etc
Ip Rating	: 1min
Warranty	: 2 Year
Uses	: Commercial Parking & Society, Hospital Office Bathroom Government Department





SENSOR

SERIES DAY NIGHT SENSOR



- Led Load : 300W
- Amps : 10A
- IP Rating : 66 IP Rating
- Warranty : 2 Year
- Uses : Area, Government Space,
Parking On Roads and Outdoor Area Etc.,

SERIES CHARGEABLE SENSOR LIGHT

- Watt : 10W
- Body : Aluminium
- CCT : 3in-1 (WH/WW/NWH)
- Battery Capacity : 1850mah
- Dimension : 250×40×12mm
- Brightness : Adjustable
- Charging Time : 3 Hours
- IP Rating : 20 IP Rating
- Warranty : 1 Years

SERIES DIGITAL SWITCH (HANDY)

- Operating : Voltage Ac 85v - 265v
- Watt : 750w-1500w
- Fitting : 2 Model Box
- Operating : Remote / Manual
- IP Rating : 20 IP Rating
- Warranty : 3 Year
- Uses : Wal / Ceiling, Home, Hotel Showroom
Office Etc.,



SERIES 32 STEP

- Operating Voltage : DC 12V / 24V
- Step & Lamp : 32 Use Area
- Watt : 12V 500W - 24V 1000w
- IP Rating : 20 IP Rating
- Warranty : 1 Years
- Uses : Step Duplex House & Hotels Malls Etc.,

SERIES 32 STEP ONLY RUNNING

- Operating Voltage : DC 12V / 24V
- Watt : 12V 500W - 24V 1000w
- IP Rating : 20 IP Rating
- Warranty : 2 Years
- Uses : Step Duplex House & Hotels Malls Etc.,

SERIES 32 STEP WITH RUNNING (2 IN 1)

- Operating Voltage : DC 12V / 24V
- Watt : 12V 500W - 24V 1000w
- IP Rating : 20 IP Rating
- Warranty : 2 Years
- Uses : Step Duplex House & Hotels Malls Etc.,


STEP SENSOR



ALUMINIUM PROFILES

7 MM Surface

Desceiption : 2 Metre Aluminium + Pc
Weight : 50 Grams / Metre
Box : 400 Metre Per Box



7 MM Concealed

Desceiption : 2 Metre Aluminium + Pc
Weight : 54 Grams / Metre
Box : 400 Metre Per Box



10 MM Surface

Desceiption : 2 Metre Aluminium + Pc
Weight : 65 Grams / Metre
Box : 400 Metre Per Box



10 MM Concealed

Desceiption : 2 Metre Aluminium + Pc
Weight : 70 Grams / Metre
Box : 400 Metre Per Box



12 MM Surface

Desceiption : 2 Metre Aluminium + Pc
Weight : 62 Grams / Metre
Box : 400 Metre Per Box



12 MM Concealed

Desceiption : 2 Metre Aluminium + Pc
Weight : 70 Grams / Metre
Box : 400 Metre Per Box



ALUMINIUM PROFILES

14 MM Surface

Desceiption : 2 Metre Aluminium + Pc
Weight : 61 Grams / Metre
Box : 400 Metre Per Box

14 MM Concealed

Desceiption : 2 Metre Aluminium + Pc
Weight : 66 Grams / Metre
Box : 400 Metre Per Box

17 MM Surface

Desceiption : 2 Metre Aluminium + Pc
Weight : 40 Grams / Metre
Box : 400 Metre Per Box

17 MM Concealed

Desceiption : 2 Metre Aluminium + Pc
Weight : 45 Grams / Metre
Box : 400 Metre Per Box

17 MM Surface

Desceiption : 2 Metre Aluminium + Pc
Weight : 63 Grams / Metre
Box : 400 Metre Per Box

17 MM Concealed

Desceiption : 2 Metre Aluminium + Pc
Weight : 71 Grams / Metre
Box : 400 Metre Per Box



17 MM Surface

Desceiption : 2 Metre Aluminium + Pc
Weight : 80 Grams / Metre
Box : 200 Metre Per Box

17 MM Concealed

Desceiption : 2 Metre Aluminium + Pc
Weight : 90 Grams / Metre
Box : 200 Metre Per Box

17 MM Deep Surface

Desceiption : 2 Metre Aluminium + Pc
Weight : 90 Grams / Metre
Box : 200 Metre Per Box

17 MM Deep Concealed

Desceiption : 2 Metre Aluminium + Pc
Weight : 97 Grams / Metre
Box : 200 Metre Per Box

25 MM Surface

Desceiption : 2 Metre Aluminium + Pc
Weight : 70 Grams / Metre
Box : 200 Metre Per Box

25 MM Concealed

Desceiption : 2 Metre Aluminium + Pc
Weight : 75 Grams / Metre
Box : 200 Metre Per Box

ALUMINIUM PROFILES



ALUMINIUM PROFILES

25 MM Heavy Concealed

Desceiption : 2 Metre Aluminium + Pc
Weight : 104 Grams / Metre
Box : 200 Metre Per Box

35x12 MM Concealed

Desceiption : 2 Metre Aluminium + Pc
Weight : 158 Grams / Metre
Box : 100 Metre Per Box

35x20 MM Surface

Desceiption : 2 Metre Aluminium + Pc
Weight : 200 Grams / Metre
Box : 80 Metre Per Box

35x20 MM Concealed

Desceiption : 2 Metre Aluminium + Pc
Weight : 215 Grams / Metre
Box : 80 Metre Per Box

35x35 MM Surface

Desceiption : 2 Metre Aluminium + Pc
Weight : 273 Grams / Metre
Box : 32 Metre Per Box

35x35 MM Concealed

Desceiption : 2 Metre Aluminium + Pc
Weight : 285 Grams / Metre
Box : 32 Metre Per Box



50X10 MM Surface

Desceiption : 2 Metre Aluminium + Pc
Weight : 218 Grams / Metre
Box : 60 Metre Per Box

50X10 MM Concealed

Desceiption : 2 Metre Aluminium + Pc
Weight : 158 Grams / Metre
Box : 60 Metre Per Box

50X20 MM Surface

Desceiption : 2 Metre Aluminium + Pc
Weight : 245 Grams / Metre
Box : 40 Metre Per Box

50X20 MM Concealed

Desceiption : 2 Metre Aluminium + Pc
Weight : 276 Grams / Metre
Box : 40 Metre Per Box

50X10 MM Surface

Desceiption : 2 Metre Aluminium + Pc
Weight : 350 Grams / Metre
Box : 32 Metre Per Box

50X10 MM Concealed

Desceiption : 2 Metre Aluminium + Pc
Weight : 370 Grams / Metre
Box : 32 Metre Per Box

BIG SIZE PROFILES



SPECIAL PROFILES

18MM Blendable cc

Desceiption : 2 Metre Aluminium + Pc
Weight : 77 Grams / Metre
Box : 200 Metre Per Box



Shell Profile


Desceiption : 2 Metre Aluminium + Pc
Weight : 136 Grams / Metre
Box : 200 Metre Per Box



GOLD PROFILES

17MM Concealed

Desceiption : 2 Metre Aluminium + Pc
Weight : 105 Grams / Metre
Box : 200 Metre Per Box



17MM Surface


Desceiption : 2 Metre Aluminium + Pc
Weight : 90 Grams / Metre
Box : 200 Metre Per Box



BLACK + WHITE PROFILES

7MM Surface / Concealed

Desceiption : 2 Metre Aluminium + Pc
Weight : 54 Grams / Metre
Box : 400 Metre Per Box



12MM Concealed

Desceiption : 2 Metre Aluminium + Pc
Weight : 70 Grams / Metre
Box : 200 Metre Per Box



14MM Concealed

Desceiption : 2 Metre Aluminium + Pc
Weight : 66 Grams / Metre
Box : 200 Metre Per Box



17MM Concealed

Desceiption : 2 Metre Aluminium + Pc
Weight : 71 Grams / Metre
Box : 200 Metre Per Box



BLACK + WHITE PROFILES

17MM Surface

Desceiption : 2 Metre Aluminium + Pc
Weight : 63 Grams / Metre
Box : 200 Metre Per Box



17MM Deep Concealed

Desceiption : 2 Metre Aluminium + Pc
Weight : 97 Grams / Metre
Box : 200 Metre Per Box



25MM Concealed

Desceiption : 2 Metre Aluminium + Pc
Weight : 217 Grams / Metre
Box : 200 Metre Per Box



16X16MM Corner

Desceiption : 2 Metre Aluminium + Pc
Weight : 65 Grams / Metre
Box : 200 Metre Pre Box



BLACK + BLACK PROFILES

7MM Concealed

Desceiption : 2 Metre Aluminium + Pc
Weight : 54 Grams / Metre
Box : 400 Metre Per Box



14MM Concealed

Desceiption : 2 Metre Aluminium + Pc
Weight : 66 Grams / Metre
Box : 200 Metre Per Box



17MM Concealed

Desceiption : 2 Metre Aluminium + Pc
Weight : 71 Grams / Metre
Box : 200 Metre Per Box



17MM Surface

Desceiption : 2 Metre Aluminium + Pc
Weight : 71 Grams / Metre
Box : 200 Metre Per Box



17MM Concealed

Desceiption : 2 Metre Aluminium + Pc
Weight : 97 Grams / Metre
Box : 200 Metre Per Box



25MM Concealed

Desceiption : 2 Metre Aluminium + Pc
Weight : 200 Grams / Metre
Box : 200 Metre Per Box



CORNER PROFILES

10X10 MM CORNER

Desceiption : 2 Metre Aluminium + Pc
 Weight : 58 Grams / Metre
 Box : 200 Metre Per Box

16X16 MM CORNER

Desceiption : 2 Metre Aluminium + Pc
 Weight : 65 Grams / Metre
 Box : 200 Metre Per Box

20X20 MM CORNER

Desceiption : 2 Metre Aluminium + Pc
 Weight : 86 Grams / Metre
 Box : 160 Metre Per Box

DOUBLE CORNER SF

Desceiption : 2 Metre Aluminium + Pc
 Weight : 712 Grams / Metre
 Box : 20 Metre Per Box

64 MM CORNER

Desceiption : 2 Metre Aluminium + Pc
 Weight : 217 Grams / Metre
 Box : 40 Metre Per Box

90 MM BIG CORNER

Desceiption : 2 Metre Aluminium + Pc
 Weight : 395 Grams / Metre
 Box : 20 Metre Per Box



FLEXIBLE SILICON PROFILES

1010 Surface

Size : 10mm x 10mm
 Light Angle : 120 Degree
 Strips Width: 5 mm Strip
 Length : 100Metre/ Roll



1212 Surface

Size : 12mm x 12mm
 Light Angle : 120 Degree
 Strips Width: 5 mm/8mm Strip
 Length : 100Metre/ Roll



1212 Concealed

Size : 12mm x 12mm
 Light Angle : 120 Degree
 Strips Width: 5 mm/8mm Strip
 Length : 100Metre/ Roll



15x10MM Surface

Size : 15mm x 10mm
 Light Angle : 120 Degree
 Strips Width: 8 mm/10mm/12mm Strip
 Length : 50Metre/ Roll



FLEXIBLE SILICON PROFILES

16x16 Surface

Size : 16mm x 16mm
Light Angle : 120 Degree
Strips Width: 5 mm/10mm/12mm Strip
Length : 50Metre/ Roll



16x16 Concealed

Size : 16mm x 16mm
Light Angle : 120 Degree
Strips Width: 5 mm/10mm/12mm Strip
Length : 50Metre/ Roll



20x10 Concealed

Size : 12mm x 12mm
Light Angle : 120 Degree
Strips Width: 10mm/12mm Strip
Length : 50Metre/ Roll



20x10 Surface

Size : 15mm x 10mm
Light Angle : 120 Degree
Strips Width: 10mm/12mm Strip
Length : 50Metre/ Roll



ACCESSORIES

SERIES TRACK PATI

Size : 1mtr - 2mtr
BodyColour : BK / PKW
Material : ABS / Alu.

SERIES 2×2 PANEL


Watt : 48w
CRI : 80
Material : Aluminium
Luminous : 3840lm
Beam Angel : 120°
CCT : 6500k / 3000k / 4000k
IP Rating : 20 IP Rating
Powered By : Epistar
Warranty : 2 Year

SERIES STRIP CONNECTOR

Material : Full Copper Circuit
I Connector : 5mm / 8mm / 10mm
L Connector : 5mm / 8mm / 10mm
Wire Connector : 5mm / 8mm / 10mm
All In-1 Connector : 10mm

SERIES STRIP DIMMER

Operating Voltage : DC - 12V / 24V
AMPS : 30A
Operating : Manual
IP Rating : 20 IP Rating
Warranty : 1 Years



SERIES RUNNING STRIP CONTROLLER

Operating Voltage : DC - 12V - 24V
Amps : 6A
Strip Control : Single colour
Feature : DIMMING / RUNNING
Ip Rating : 20 Ip Rating
Warranty : 1 Years

SERIES STRIP CONTROLLER

Operating Voltage : DC - 12V - 24V
Amps : 6A
Strip Control : 3 in 1 / RGB
Feature : CCT / DIMMING
Ip Rating : 20 Ip Rating
Warranty : 1 Years

SERIES STRIP CONTROLLER (HEAVY)

Operating Voltage : DC 12v - 24v
Amps : 30A
Strip Control : Single + RGB + CCT
Feature : CCT Dimming & Mode
IP Rating : 20 IP Rating
Warranty : 1 Years

3 LINE - RGB IC CONTROLLER

Operating Voltage : DC - 12V - 24V with App
Amps : 6A
Strip Control : 3 in 1 / RGB
Feature : CCT / DIMMING
Ip Rating : 20 Ip Rating
Warranty : 1 Years

4 LINE - RGB IC CONTROLLER

Operating Voltage : DC 24v with App
Amps : 30A
Strip Control : Single + RGB
Feature : CCT Dimming & Mode
IP Rating : 20 IP Rating
Warranty : 1 Years

ACCESSORIES

